

### Colony Stimulating Factors (Short) Step Therapy Neupogen (filgrastim) J1442, Granix (tbo-filgrastim) J1447, Nyvestym (filgrastim-aafi) Q5110, Releuko (filgrastim-ayow) Q5125 are non-preferred. Preferred drug is: Zarxio (filgrastim-sndz) Q5101 Prior Authorization Request Medicare Part B Form

Instructions: \* Indicates required information – Form may be returned if required information is not provided. Please fax this request to the appropriate fax number listed at the bottom of the page.

	NEW START - Start Date:			□ Continuation (within 365 days): □ Date of last treatment					
	Date Requested								
				Phone / Fax					
MEMBER INFORMATION									
*Nai	me:		*ID#:_	D#: *DOB:					
PRESCRIBER INFORMATION									
*Name:									
*Address: *Fax: DISPENSING PROVIDER / ADMINISTRATION INFORMATION									
*Name: Phone:									
*Address:				Fax:					
PROCEDURE / PRODUCT INFORMATION									
нс	PC Code	Name of Drug	Do	se (Wt:	kg Ht:	)	Frequency	End Date if known	
								<u> </u>	
Chart notes attached. Other important information:									
Diagnosis: ICD10: Description:									
$\square$ Provider attests the diagnosis provided is an FDA-Approved indication for this drug									
CLINICAL INFORMATION									
<ul> <li>New Start or Initial Request: (Clinical documentation required for all requests)</li> <li>Provider has reviewed the attached "Criteria for Approval" and attests the member meets         ALL required PA criteria.         If not, please provide clinical rationale for formulary exception:        </li></ul>									
<ul> <li>Continuation Requests: (Clinical documentation required for all requests)</li> <li>Provider has reviewed the attached "Criteria for Continuation" and attests the member meets ALL required PA Continuation criteria.</li> <li>Patient had an <u>adequate response</u> or <u>significant improvement</u> while on this medication. If not, please provide clinical rationale for continuing this medication:</li> </ul>									

For questions or assistance, please contact Customer Service at 1-877-672-8620, daily, 8am – 8pm (PST) (TTY users should call 1-800-735-2900).

#### Request By (Signature Required):

#### Date:

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

THIS AUTHORIZATION IS NOT A GUARANTEE OF PAYMENT. PAYMENT IS BASED ON BENEFITS IN EFFECT AT THE TIME OF SERVICE, MEMBER ELIGIBILITY AND MEDICAL NECESSITY.



## Prior Authorization Group – Colony Stimulating Factor PA

Drug Name(s):
NEUPOGEN (filgrastim)
NYVESTYM (filgrastim-aafi)
ZARXIO (filgrastim-sndz)

GRANIX (tbo-filgrastim) RELEUKO (filgrastim-ayow)

### Criteria for approval of Non-Formulary/Preferred Drug:

- 1. Prescribed for an approved FDA diagnosis (as listed below):
- 2. Member has tried and failed at least ONE of the formulary alternatives: Zarxio (filgrastim-sndz) OR
  - There is clinical documentation stating formulary alternatives are contraindicated.
- 3. Drug is being used appropriately per MCG GUIDELINES, CMS recognized compendia, authoritative medical literature, evidence-based guidelines and/or accepted standards of medical practice.
- 4. Member does not have any clinically relevant contraindications, or CMS/Plan exclusions, to the requested drug.
- If the member meets all these criteria, they may be approved by the Plan for the requested drug.
- Quantity limits and Tiering will be determined by the Plan.

# Exclusion Criteria:

N/A

Prescriber Restrictions: N/A

Coverage Duration: Approval will be for 6 months

### FDA Indications:

### Neupogen, Nyvestym, Releuko, Zarxio

- Febrile neutropenia, In non-myeloid malignancies, in patients undergoing myeloablative chemotherapy followed by marrow transplantation; Prophylaxis
- Febrile neutropenia, In non-myeloid malignancies following myelosuppressive chemotherapy; Prophylaxis
- Febrile neutropenia, In patients with acute myeloid leukemia receiving chemotherapy; Prophylaxis
- Harvesting of peripheral blood stem cells (Neupogen, Nyvestym, Zarxio only)
- Hematopoietic subsyndrome of acute radiation syndrome (Neupogen only)
- Neutropenic disorder, chronic (Severe), Symptomatic

### Granix

• Neutropenia (Severe), In nonmyeloid malignancies following myelosuppressive chemotherapy; Prophylaxis

### Off-Label Uses:

### Neulasta, Neupogen

• Harvesting of peripheral blood stem cells, Prior to autologous stem-cell transplantation

# Age Restrictions:

N/A



#### **Other Clinical Consideration:**

- Contraindicated in pure red cell aplasia that begins following treatment with darbepoetin alfa or other erythropoietin protein drugs
- Contraindicated in uncontrolled hypertension

#### **Resources:**

https://www.micromedexsolutions.com/micromedex2/librarian/CS/7587F3/ND\_PR/evidencexpert/ND\_P/evidencexpert/ /DUPLICATIONSHIELDSYNC/192A60/ND\_PG/evidencexpert/ND\_B/evidencexpert/ND\_AppProduct/evidencexpert/ND\_T/ evidencexpert/PFActionId/evidencexpert.DoIntegratedSearch?SearchTerm=filgrastim&UserSearchTerm=filgrastim&Sear chFilter=filterNone&navitem=searchALL

https://careweb.careguidelines.com/ed24/ac/ac04\_039.htm#top